

West Virginia: **46.7 %**

National Rate: 43.0 %

Range across States: 34.2 % - 50.7 %

# West Virginia

Medical Home Performance Profile for CHILDREN WITH SPECIAL HEALTH CARE NEEDS (CSHCN)  
 Data Source: 2009/10 National Survey of Children with Special Health Care Needs (NS-CSHCN)

## Prevalence of Medical Home in West Virginia

| CSHCN (age 0-17 years)  | State  | Nation |
|---|--------|--------|
| Met all medical home criteria   | 46.7 % | 43.0 % |
| <b>Age of Child</b>   |        |        |
| 0 - 5 Years Old   | 53.1 % | 44.2 % |
| 6 - 11 Years Old  | 46.8 % | 42.1 % |
| 12 - 17 Years Old   | 43.5 % | 43.1 % |
| <b>Sex of Child</b>   |        |        |
| Male  | 43.6 % | 42.6 % |
| Female  | 50.9 % | 43.6 % |
| <b>Household Poverty Level (Federal Poverty Level [FPL] Guidelines)</b>   |        |        |
| 0% - 99% FPL  | 38.2 % | 30.9 % |
| 100% - 199% FPL   | 52.5 % | 37.5 % |
| 200% - 399% FPL   | 45.7 % | 47.4 % |
| 400% FPL or Higher  | 57.9 % | 52.2 % |
| *For more information on FPL guidelines, please visit <a href="http://aspe.hhs.gov/poverty/09Poverty.shtml">http://aspe.hhs.gov/poverty/09Poverty.shtml</a> |        |        |
| <b>Race/Ethnicity of Child</b>  |        |        |
| Hispanic  | NA**   | 33.2 % |
| White, Non-Hispanic   | 47.4 % | 48.8 % |
| Black, Non-Hispanic   | NA**   | 33.5 % |
| Multi-Racial/Other, Non-Hispanic  | 42.7 % | 39.1 % |
| <b>Type of Insurance</b>  |        |        |
| Private Insurance Only  | 55.1 % | 51.2 % |
| Public Insurance such as Medicaid or SCHIP  | 39.6 % | 34.0 % |
| Both Private & Public Insurance   | 55.1 % | 35.3 % |
| Uninsured   | NA**   | 24.2 % |

## Components of Medical Home

| Accessibility   | State  | Nation |
|---|--------|--------|
| Has a personal doctor or nurse  | 91.8 % | 93.1 % |
| <b>Family-Centered Care (% who Report "Usually" or "Always")</b>          |        |        |
| Doctor spends enough time   | 81.1 % | 77.5 % |
| Doctor listens carefully  | 89.4 % | 87.7 % |
| Doctor provides needed information  | 83.5 % | 82.4 % |
| Doctor helps parent feel like partner in care                             | 88.7 % | 87.0 % |
| <b>Comprehensive</b>  |        |        |
| Had no problems getting referrals when needed                             | 78.9 % | 76.6 % |
| Has a usual source for both sick and well care                            | 92.1 % | 89.3 % |
| <b>Coordinated (% Among CSHCN Receiving 2 or More Types of Services)</b>  |        |        |
| Received effective care coordination, when needed                         | 59.7 % | 56.0 % |
| Received any help with arranging or coordinating care                     | 23.9 % | 21.4 % |
| Very satisfied with communication between doctors, when needed            | 64.5 % | 62.7 % |
| Very satisfied with communication between doctors and school, when needed | 48.0 % | 53.1 % |
| <b>Culturally Effective (% who Report "Usually" or "Always")</b>          |        |        |
| Doctor is sensitive to family customs and values                          | 90.8 % | 88.9 % |

Citation format: Child and Adolescent Health Measurement Initiative. 2009/10 National Survey of Children with Special Health Care Needs Medical Home State Profile. Data Resource Center for Child and Adolescent Health website. Retrieved [mm/dd/yy] from <http://childhealthdata.org/browse/medicalhome>.

\*\*NA Estimates based on sample sizes too small to meet standards for reliability or precision. The relative standard error is greater than or equal to 30% and/or the number of responses is less than 20.

For more information on the Medical Home concept, resources related to Medical Home, or more Medical Home data, please go to <http://childhealthdata.org/browse/medicalhome>.