

Outcome #2: CSHCN who receive coordinated, ongoing, comprehensive care within a medical home

Percent of CSHCN who met criteria for Outcome #2

2009/10 National Survey of Children with Special Health Care Needs

US Prevalence		43.0%
LOWER than US; Statistically Significant	District of Columbia	34.2%
	New Mexico	34.9%
	Arizona	36.1%
	Florida	36.2%
	Nevada	36.8%
	Mississippi	36.8%
	California	38.3%
	New Jersey	38.3%
	New York	38.4%
LOWER than US; Not Significant	Montana	39.1%
	Texas	40.1%
	Louisiana	40.4%
	Oregon	41.1%
	Delaware	41.4%
	South Dakota	42.2%
	Virginia	42.4%
	Alaska	42.8%
	Idaho	42.9%
HIGHER than US; Not Significant	Colorado	43.7%
	Michigan	43.7%
	Arkansas	43.9%
	Rhode Island	44.0%
	Wisconsin	44.1%
	Maryland	44.2%
	Vermont	44.3%
	Illinois	44.5%
	Wyoming	44.6%
	Missouri	44.9%
	North Carolina	45.1%
	South Carolina	45.3%
	Hawaii	45.4%
	Washington	45.5%
	Georgia	45.7%
	Tennessee	45.9%
	Connecticut	46.0%
	Oklahoma	46.1%
	Utah	46.2%
	Ohio	46.4%
West Virginia	46.7%	
HIGHER than US; Statistically Significant	Iowa	47.0%
	Massachusetts	47.1%
	Maine	47.5%
	North Dakota	47.8%
	Pennsylvania	48.0%
	Minnesota	48.0%
	Nebraska	48.2%
	Indiana	48.5%
	Kansas	49.4%
New Hampshire	49.4%	
Kentucky	50.2%	
Alabama	50.7%	

NOTES:

Higher %'s = Better Performance

Statistical Significance: $p < .05$