

Child and Family Health Measures 2016 National Survey of Children's Health

Family Health and **Emotional and Mental** Health Insurance **Health Care Access** Community and and Functional Status Health and Quality School Activities Activities 1.1 Health status (NOM-19) 3.1 Current health insurance status 5.1 Special education or early 1.2 Condition of teeth, 1-17 years 3.2 Consistency of insurance coverage intervention plan (EIP), 1-17 years 1.2a Oral health problems, 1-17 years Type of health insurance 5.1a Age started special education or Tooth decay/cavities, 1-17 Adequacy of current insurance EIP years (NOM-14) 3.4a Adequate insurance (NPM-15) 5.2 School engagement, 6-17 years 1.3 Breastfed ever, 0-5 years 3.5 Insurance coverage for mental health care 5.3 Repeated grade(s) in school, 6-17 1.3a Exclusively breastfed, 6 mon-5 years 3.6 Out-of-pocket cost for medical and health care 1.4 Weight status (BMI), 10-17 4.19 Problems paying medical bills Missed school days, 6-17 years years (NOM-20) 5.5 Participation in organized activities, Physical activity, 6-17 years 6-17 years (NPM-8) 5.6 Parent participation in child's 1.6 Concern about weight 4.1 Medical care visit event/activities, 6-17 years 4.1a Preventive medical visit 5.7 Participation in community service 1.7 Low birth weight Among children 12-17 years (NPM-10) 1.8 Premature birth or volunteer work, 6-17 years 4.1b Time with doctor during preventive medical visit 5.8 Work for pay, 12 -17 year 1.9 One or more health conditions 4.1c Doctor spoke with child privately, 12-17 years 1.9a Severity of current condition 5.9 Adult mentor, 6-17 years 1.10 One or more functional difficulties 4.2 Dentist visit, 1-17 years 5.10 Healthy and ready to learn, 3-5 4.2a Preventive dental care, 1-17 years (NPM-13B) 1.11 Children with special health care years (NOM-13) (under 4.3 Received both preventive medical and dental care (NPM-14B) needs (NOM-17.1) development) 1.12 Effect of conditions on daily activities 4.4 Received mental health care, 3-17 years Received needed mental health care, 3-17 years (NOM-18) 4.4a Problems obtaining mental health care, 3-17 years 2.1 Bully others, 6-17 years 4.5 Received care from a specialist doctor Among children age 12-17 years (NPM-9) 4.5a Problems obtaining specialist care 2.2 Bullied, 6-17 years 4.6 Vision test Among children age 12-17 years (NPM-9) Hospital emergency room visit 2.3 Flourishing for young children, 6 months-5 years Alternative health care or treatment 2.4 Flourishing for children and adolescents, 6-17 years Doctor asked about parental concerns, 0-5 years 2.5 Argues too much, 6-17 years 4.10 Developmental screening, 9-35 months (NPM-6) 2.6 Making and keeping friends, 6-17 years 4.11 Special services for developmental needs

> Note: MCHB Title V National Performance Measures (NOM) and National Outcome Measures (NOM) are in bold types.

The definition of all measures can be found in the 2016 NSCH codebook and the "details" link on the data query at childhealthdata.org

Note: The indicator numbers are not comparable with the previous surveys. 7.1 Supportive neighborhood

Neighborhood Safety

and Support

- 7.2 Safe neighborhood
- 7.3 Safe school
- Neighborhood amenities
- 7.5 Presence of detracting neighborhood elements
- 6.1 Physical health status of mother
- 6.1a Physical health status of father
- 6.2 Mental health status of mother
- 6.2a Mental health status of father
- 6.3 Overall health status of mother
- 6.3a Overall health status of father
- Someone living in the household smokes
- 6.4a Someone smokes inside the home
- 6.5 Children living in "working poor" families
- 6.6 Family shares ideas, 6-17 years
- 6.7 Family reads to children, 0-5 years
- 6.8 Family sings and tells stories to children, 0-5
- 6.9 Family eats meal together
- 6.10 Time spent watching TV or playing video games
- 6.11 Time spent with a computer, cell phone, electronic device
- 6.12 Family resilience
- 6.13 Adverse childhood experiences
- 6.14 Parental aggravation
- 6.15 Emotional help with parenthood

- 6.16 Coping with daily demands of raising children
- Job change because problems with child care, 0-5 years
- 6.18 Stopped working and cut back hours
- 6.19 Avoided changing job
- 6.20a Time spent providing health care
- 6.20b Time spend coordinating health care
- 6.21 Received day care from others at least 10 hours/week, 0-5 years
- 6.22 Sleep position, 0-12 months
- 6.24 Go to bed same time on weeknights
- Adequate amount of sleep, 4 months-17 years
- Food insufficiency
- 6.27 Received food or cash assistance

- 2.7 Prevalence of ADD/ADHD, 3-17 years (NOM-
- 2.7a Parent-rated severity of ADD/ADHD, 3-17 years
- 2.7b Medication for ADD/ADHD, 3-17 years
- 2.7c Received behavioral treatment for ADD/ADHD, 3-17
- 2.8 Prevalence of autism/ASD, 3-17 years (NOM-17.3)
- 2.8a Parent-rated severity of autism/ASD, 3-17 years
- 2.8b Medication for autism/ASD, 3-17 years
- 2.8c Received behavioral treatment for ASD, 3-17 years
- 2.8d Age of diagnosis for autism/ASD
- 2.8e Type of doctor or health care provider first to tell that child had autism/ASD, 3-17 years
- Medication for ADD/ADHD, ASD or difficulties with emotions, concentration, or behavior
- 4.10 Developmental screening, 9-35 months (NPM-6)

4.12d Problems getting needed referrals 4.12e Effective care coordination

4.11a Age started receiving special services for

4.12b Usual source for sick and preventive care

4.14 Shared decision making

4.12a Personal doctor or nurse

4.12c Family-centered care

developmental needs

4.15 Transition to adult healthcare, 12-17 years Among CSHCN and Non-CSHCN (NPM-12)

Among CSHCN and Non-CSHCN (NPM-11)

4.17 System of care

4.12 Medical home

Among CSHCN (NOM-17.2)

- 4.18 Forgone health care (NOM-25)
- 4.19 Problems paying medical bills
- 4.20 Frustrated in efforts to get services